

ceiling series



CL 6

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/12/2022



SOUND WITH SOUL

KEY FEATURES

- 6" ceiling mount loudspeaker
- 60 Hz – 20 kHz bandwidth
- 40 W_{rms} power handling
- Polypropylene cone for durability

APPLICATIONS

- Professional Installation Systems
- Houses of Worship
- Auditoriums/Theaters
- Hotel Ballrooms and Meeting Rooms

DESCRIPTION

The CL-6 is a 2-way passive full-range ceiling loudspeaker incorporating a 6.5" cone low frequency transducer and a ferrofluid cooled 1" soft dome high frequency unit with integral diffraction-ring. The system's low frequency driver is mounted on a plastic support with mounting tabs for fixing to ceiling surfaces. The speaker is protected by a perforated metal grille.

CL 6

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/12/2022



SOUND WITH SOUL

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	60 Hz – 20 kHz
Horizontal Coverage (-6 dB)	95°
Nominal Impedance	8 ohms
RMS Power Handling	40 W
Peak Power Handling	160 W
On-axis Sensitivity 1W/1 m	90 dB SPL
Recommended Amplifier	INTEGRAL-A402 INTEGRAL-A404

Connectors

Audio Input Connector	Spring Terminals
Audio Output Connector	Spring Terminals

Enclosure


Enclosure Geometry	Round
Color	White
Cut Out Diameter	198 mm (7,8 in)
Depth	90 mm (3,5 in)
Dimensions (H x W x D)	230 x 230 x 90 mm 9,0 x 9,0 x 3,5 in
Net Weight	1,2 kg (2,6 lb)

CL 6

Shipping

Carton Dimensions (H x W x D)	270 x 250 x 390 mm 10,6 x 9,8 x 15,4 in
Shipping Weight	1,4 kg (3,0 lb)

DIMENSIONS



ORDERING INFORMATION

Model	Description	P/N
System		
CL-6		10213030

CL 6

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/12/2022

